

INDEX MAPS.

T. 9N, R. 2E. 2nd Mer.

	320	320	319	319	319	318						
323	6	327	5	332	4	336	3	340	2	346	1	318
	327		331		336		340		345		346	
322	7	326	8	331	9	335	10	339	11	345	12	318
	326		330		335		339		344		345	
322	18	326	17	330	16	334	15	339	14	344	13	318
	325		330		334		338		343		344	
322	19	325	20	329	21	334	22	338	23	343	24	317
	324		329		333		338		342		342	
321	30	324	29	329	28	333	27	337	26	342	25	317
	324		328		332		337		341		341	
321	31	323	32	328	33	332	34	336	35	341	36	317
	315		315		315		316		316		316	

T. 10N, R. 2E. 2nd Mer.

	354		354		354		354		353		353	
356	6	381	5	374	4	370	3	365	2	361	1	352
	381		380		374		369		365		360	
356	7	380	8	373	9	369	10	364	11	360	12	352
	379		379		373		368		364		360	
356	18	379	17	373	16	368	15	364	14	359	13	352
	378		378		372		368		363		359	
355	19	377	20	372	21	367	22	363	23	358	24	351
	377		376		371		367		362		358	
355	30	376	29	371	28	366	27	362	26	358	25	351
	376		375		370		366		362		357	
355	31	375	32	370	33	366	34	361	35	357	36	351
	350		360		349		349		349		349	

[P] The figures on the lines refer to the page.

315

Township N. 9 North, Range N. 2 East 2. Mer. Indiana

South Boundary

East On S. boundary of Sec. 31, T9N, R2E.

13.00 at Brook 100 yds. wide W. S. E.

40.00 at the q. Sec. post, from which

a Beech 26 in. dia. bray N10 E 12 lks. dist. of

a Sugar 16 " " " N40 E 40 " "

45.00 a Creek 200 yds. wide W. S.

80.00 at a post Cor. to Sec. 31 of 32, from which

a W. Oak 16 in. dia. bray N60 E 3 lks. dist. of

a Beech 14 " " " N80 W 25 " "

Poor hilly land timber Oak &c

East On S. boundary of Sect 32, T9N, R2E.

7.16 to a Sugar 13 in. dia. on the boundary, from

which a Sugar 14 in. dia. bray N54 W 14 lks. dist. of

a Beech 11 " " " S35 W 15 " "

40.00 at the q. Sec. post, from which

a Hickory 15 in. dia. bray North 21 lks. dist. of

a Do 17 " " " N12 E 32 " "

80.00 at a post Cor. to Sec. 32 of 33, from which

a W. Oak 30 in. dia. bray N85 W 60 lks. dist. of

a Do 20 " " " N85 E 52 " "

Over rolling land timber Beech & Oak, including
Dogwood, Greenbrier, &c.

East On S. boundary of Sec. 33, T9N, R2E.

40.00 at the q. Sec. post, from which

a Poplar 8 in. dia. bray N46 E 21 lks. dist. of

a Gum 10 " " " N1 W 20 " "

80.00 at a post Cor. to Sec. 33 of 34, from which

a W. Oak 48 in. dia. bray N28 W 4 lks. dist. of

a Beech 13 " " " S4 E 44 " "

Over broken land, timber, Oak, hickory, Beech

T9N R2E 2^d Mer. Indiana

He, undugth, Oak, Dogwood &c.

East On S. boundary of Sec. 34, T9N. R2E.

3.18 a Branch 10 lks. wide Cr. S. M.

34.58 a Spring branch 6 lks. wide Cr. S. M.

40.00 Let the q. Sec. post, from which

a W. Oak 36 in. dia. bray N 87 W 45 lks. dist. of

a Do 14 " " " N 78 E 14 " "

80.00 Let a post Cor. to Sec. 34 of 35, from which

a Chest. Oak 12 in. dia. bray N 35 E 60 lks. dist. of

a Do 16 " " " N 82 W 13 " "

This line is over broken land, timber Oak and
Hick^y, undugth the same, stony Soil

East On S. boundary of Sec. 35, T9N. R2E.

19.28 a Branch 8 lks. wide Cr. S. M.

40.00 Let the q. Sec. post, from which

a W. Oak 6 in. dia. bray N 42 W 29 lks. dist. of

a Do 12 " " " N 86 E 31 " "

40.28 a Branch 8 lks. wide Cr. South

80.00 Let a post, Cor. to Sec. 35 of 36, from which

a W. Oak 8 in. dia. bray N 37 W 39 lks. dist. of

a Do 8 " " " N 8 E 28 " "

This mile is over broken brushy stony hill,
timber Oak & hickory, undugth the same.

East On S. boundary of Sec. 36, T9N. R2E.

33.68 (supposed distance) to the S. E. Cor. of T9N-
Range 2 E. from which

a P. Sack 6 in. dia. bray N 43 W 34 lks. dist. of

a Do 6 " " " N 70 E 11 " "

June 2^d 1819

Surveyed by John McDonald, U. S.

T9N-R2E, 2^d Mer. Indiana

317

East Boundary var. 6.45'E.

North On E. boundary of Sec. 36, T9N. R2E.
 40.00 Let the q. Sec. post, from which
 a Beech 9 in. dia. bran S7E 29 lks. dist. of
 a Hickory 9 " " " N34W 11 " "
 75.50 a Brook 15 lks. wide Cr. N.W.
 80.00 Let a post Cor. to Sect. 25 & 36, from which
 a W. Oak 18 in. dia. bran S45W 9 lks. dist. of
 a Ho 18 " " " N6E 40 " "
 Over broken land, timber Oak &c.

North On E. boundary of Sec. 25, T9N. R2E.
 34.90 a Brook 15 lks. wide Cr. N.W.
 40.00 Let the q. Sec. post, from which
 a Beech 12 in. dia. bran S5E 8 lks. dist. of
 a W. Oak 20 " " " S31W 29 " "
 69.70 a Brook 10 lks. wide Cr. —
 80.00 Let a post Cor. to Sect. 24 & 25, from which
 a Hickory 12 in. dia. bran S32W 18 lks. dist. of
 a Beech 10 " " " N39E 28 " "
 Over very broken land, timber Oak &c.

North On East boundary of Sec. 24, T9N. R2E.
 18.70 a Creek 125 lks. wide Cr. N.W.
 22.50 Same 125 " " S.E.
 40.00 Let the q. Sec. post, from which
 a Beech 7 in. dia. bran S7W 3 lks. dist. of
 a Sugar 6 " " " S60E 4 " "
 46.50 a Creek 150 lks. wide Cr. N.W.
 80.00 Let a post Cor. to Sect. 13 & 24, from which
 a W. Oak 8 in. dia. bran S35E 12 lks. dist. of
 a Ho 9 " " " N42W 5 " "
 Over Creek bottom, timber Oak &c.

T9 N. R2 E. 2^d. Mer. Indiana

North On E. boundary of Sec. 13, T9 N. R2 E.

40.00 Set the q. Sec. post, from which

a W. Oak 13 in. dia. bran S7W25 lks. dist. of

an Ironwood: 6 " " " S75W10 " "

80.00 Set a post Cor. to Sec. 12 & 13, from which

a Beech 10 in dia. bran S38E24 lks. dist. of

a B. Oak 8 " " " S4W15 " "

Over broken brushy land.

North On E. boundary of Sec. 12, T9 N. R2 E.

40.00 Set the q. Sec. post, from which

a Beech 9 in. dia. bran S15E9 lks. dist. of

a W. Oak 24 " " " S6W7 " "

80.00 Set a post Cor. to Sec. 11 & 12, from which

a Gum 18 in dia. bran S17E6 lks. dist

a Sugar 10 " " " N72W20 " "

Over broken land, timber Oak &c.

North On E. boundary of Sec. 1, T9 N. R2 E.

40.00 Set the q. Sec. post, from which

a Sugar 12 in. dia. bran S83E10 lks. dist. of

an Ironwood- " " " S82W11 " "

68.50 a Brook 10 lks. wide Cr. S. E.

70.24 Set a post Cor. to Township N: 9 & 10 N. Range

2 & 3 East, from which

a Beech 8 in. dia. bran N57E10 lks. dist. of

a Do 8 " " " S56W6 " "

Over broken land, timber Oak &c.

June 27th. 1819

North Boundary

West On the S. boundary, of Sec. 36, T10 N. R2 E.

40.00 Set the q. Sec. post, from which

T9 N R2 E. 2^d. Mer. Indiana

- a Beech 12 in. diam. beam S 74 E 17 lks. dist. of
 a Do 9 " " " N 33 E 20 " "
 47.34 a W. Oak 18 " " "
 80.00 Let a post cor. to Sec. 35 & 36, T10 N. R2 E, from which
 a Sugar 12 in. diam. beam S 77 E 3 lks. dist. of
 a Beech 7 " " " S 66 W 9 " "
 Over broken land, timber Beech, Oak &c.

- West On S. boundary of Sec. 35, T10 N. R2 E.
 40.00 Let the q. Sec. post, from which
 a Hickory 24 in. diam. beam S 51 E 24 lks. dist. of
 a Beech 14 " " " S 14 W 20 " "
 64.32 a Beech 20 " " in the line
 80.00 Let a post cor. to Sec. 34 & 35, T10 N. R2 E, from which
 an Oak 14 in. diam. beam N 47 W 13 lks. dist. of
 a Do 10 " " " S 73 E 37 " "
 Over broken bushy land, timber Oak, Beech &c.

- West On S. boundary of Sec. 34, T10 N. R2 E.
 39.50 a Brook 10 lks. wide C.P. N. E.
 40.00 Let the q. Sec. post, from which
 a Sugar 8 in. diam. beam N 52 E 3 lks. dist. of
 a Do 6 " " " N 73 W 23 " "
 59.78 a B. Oak 24 " " in the line
 80.00 Let a post cor. to Sec. 33 & 34, T10 N. R2 E, from which
 a Hickory 10 in. diam. beam S 3 W 12 lks. dist. of
 a Beech 14 " " " N 53 W 10 " "
 Land timber &c. same as on the last mile

- West On S. boundary of Sec. 33, T10 N. R2 E.
 15.00 a W. Oak 24 in. diam. in the line
 18.59 a Brook 4 lks. wide S.W.
 40.00 Let the q. Sec. post, from which

T9N-R2E, 2nd Mer. Indiana

- an Ironwood 8 in. diam. bran S 82 E 21 lks. dist. of
 a Sugar 9 " " " S 87 W 24 " "
 62.60 Maple 12 in. diam. in the line
 68.00 a Brook 7 lks. wide C.P. N.W.
 80.00 Set a post cor. to Sec. 32 of 33, T10N, R2E, from which
 a Sugar 13 in. diam. bran N 70 E 13 lks. dist. of
 a Gum 16 " " " S 4 E 7 " "
 Over rolling land, timber Oak &c.

- West On S. boundary of Sec. 32, T10N, R2E,
 36.00 a Beech 14 in. diam. in the line
 40.00 Set the q. Sec. post, from which
 a Walnut 20 in. diam. bran S 75 E 45 lks. dist. of
 a Beech 20 " " " N 62 W 10 " "
 45.40 a Creek 50 lks. wide C.P. North
 60.14 a W. Oak 18 in. diam. in the line
 80.00 Set a post cor. to Sec. 31 of 32, T10N, R2E, from which
 a Gum 20 in. diam. bran N 26 W 4 lks. dist. of
 an Ash 14 " " " S 75 E 18 " "
 Over rolling land, timber Beech, Oak &c.

- West On S. boundary of Sec. 31, T10N, R2E,
 14.70 a Beech 18 in. diam. in the line
 40.00 Set the q. Sec. post, from which
 a W. Oak 14 in. diam. bran S 22 W 8 lks. dist. of
 a Beech 13 " " " N 75 E 27 " "
 54.09 a Gum 24 " " in the line
 62.50 a Brook 7 lks. wide C.P. N.W.
 69.70 Intersected the N & S. line, between Range 1 of
 2 E. Set a post cor. to Towns 9 & 10 N, Range
 1 of 2 E, from which
 a Sugar 12 in. diam. bran N 15 W 13 lks. dist. of
 a Beech 12 " " " S 24 E 32 " "

T9 N. R2 E. 2^d. Mer. IndianaJune 23^d. 1819

Surveyed by John McDonald, d. S.

Comp.

West Boundary March 30th. 1811

- North On E. boundary of Sec. 36, T9 N. R1 E.
 38.50 a Brook 8 lks. wide Cr. E.
 40.00 Set the q. Sec. post, from which
 a Sugar 3 in. dia. bran N55 E 5 lks. dist. of
 a Beech 4 " " " S71 W7 " "
 43.00 a Brook 10 lks. wide Cr. S. E.
 57.00 a W. Oak 14 in. dia. in the line
 66.50 Set a post on the boundary line from which
 a Sugar 18 in. dia. bran S30 W25 lks. dist. of
 a Do 11 " " " S85 E30 " "
 Surveyed by Alexander Holmes, Dep. Surveyor
 80.00 (13.50) Set a post Cor. to Sec. 25 & 36, T9 N. R1 E, from which
 an Elm 11 in. dia. bran S54 W7 lks. dist. of
 a Beech 14 " " " N35 E33 " "
 Poor hilly Oak land.

- North On E. boundary of Sec. 25, T9 N. R1 E. or. 7.10' E.
 5.00 a Brook 6 lks. wide Cr. E.
 8.50 a Do 8 lks. " " S40 E.
 10.50 a W. Oak 16 in. dia. bran
 40.00 Set the q. Sec post, from which
 a Hickory 8 in. dia. bran N68 E 10 lks. dist. of
 a W. Oak 32 " " " S78 W30 " "
 59.86 a Sugar 7 in. dia.
 60.30 a Brook 10 lks. wide Cr. S80 E
 80.00 Set a post Cor. to Sec. 24 & 25, T9 N. R1 E, from which
 a Elm 11 in. dia. bran N65 W30 lks. dist. of
 a Do 16 " " " S85 E27 " "
 Land hilly & poor, timber W. B. Oak, Beech & Elm.

T9 N. R2 E, 2ⁿ. Mer Indianaunderth W. Oak, Dogwood & Ironwood

North On E. boundary of Sec. 24, T9 N. R1 E.

14.60 a Brook 10th wide Cr. E.

36.20 a Beech 18 in. dia. in the line

40.00 Set the q. Sec. post from which

a Sugar 18 in. dia. bear S 72 E 5th dist. of

a W. Oak 48 " " " S 80 W 46 " "

47.25 a Brook 12th wide Cr. S 60 E.

61.50 a B. Oak 12 in. dia. in the line

80.00 Set a post Cor. to Sec. 13 & 24, T9 N. R1 E, from which

a W. Oak 20 in. dia. bear S 23 E 15th dist. of

a Hickory 10 " " " S 87 W 15 " "

Land hilly & poor, W. B. Oak Hickory & Poplar
underth Dogwood & Ironwood

North On E. boundary of Sec. 13, T9 N. R1 E.

10.50 a Brook 10th wide Cr. S 40 E

22.50 a W. Oak 13 in. dia.

40.00 Set the q. Sec. post, from which

a Hickory 12 in. dia. bear N 75 W 31th dist. of

a Dogwood 5 " " " S 88 E 19 " "

54.00 a Chestnut Oak 18 in. dia.

80.00 Set a post Cor. to Sec. 12 & 13, T9 N. R1 E, from which

a W. Oak 12 in. dia. bear S 77 1/2 W 30th dist. of

a Do 8 " " " S 6 W 29 " "

Land hilly & poor, timber W. B. Chestnut Oak & Hickory
underth W. Oak, Ironwood & Sassafras

North On E. boundary of Sec. 12, T9 N. R1 E.

19.07 a W. Oak 18 in. dia.

40.00 Set the q. Sec. post; from which

a B. Oak 7 in. dia. bear N 4 W 11th dist. of

T9 N. R2 E. T. Mer. Indiana

- a W. Oak 6 in. dia. bran S23 E 24 lks. dist. of
 71.55 a Chestnut 20 " "
 80.00 Set a post Cor. to Sec. 1 of 12, T9 N. R1 E, from which
 a Beech 12 in. dia. bran S75 W 26 lks. dist. of
 a W. Oak 14 " " " N83 E 15 " "
 Land timber &c. same as on the last mile

- North On the E. boundary of Sec. 1, T9 N. R1 E.
 18.00 a Sugar 11 in. dia. in the line
 40.00 Set the q. Sec. post, from which
 a W. Oak 10 in. dia. bran S21 W 62 lks. dist. of
 a Hickory 12 " " " N37 W 19 " "
 54.16 a Beech 12 " " in the line
 67.00 Intersected the Town line 28.50 lks. E. of post Cor.
 to Town 10, N. Range 1 of 2 E, Set a post, from which
 a W. Oak 15 in. dia. bran S30 W 26 lks. dist. of
 a Hickory 7 " " " N32 E 28 " "
 December 7th 1819
 Surveyed by James Hedges, Dep. Sur.

- Subdivision. Feb. 28th 1820
 North Between Sec. 31 of 32, T9 N. R2 E.
 5.50 Old boundary line
 11.00 a Stream 130 lks. wide C. S85 W
 25.15 a Beech 14 in. dia.
 33.00 a Brook 6 lks. wide S80 W
 38.00 a Salt Spring 23 ch. of 79 lks. West
 40.00 Set the q. Sec. post, from which
 a W. Oak 18 in. dia. bran S69 W 21 lks. dist. of
 a Do 24 " " " S78 E 24 " "
 67.30 a Beech 5 " "
 80.00 Set a post Cor. to Sec. 29, 30, 31 of 32, from which
 a W. Oak 24 in. dia. bran N88 E 30 lks. dist. of

T9 N. R2 E. 2nd Mer. Indiana

a Beech 6 in. dia. beam S 75 W 11 lb. dist.
 Sand hilly & poor, timber W. Oak & Beech
 undergth Dogwood & Ironwood.

West Between Secs. 30 & 31, On Random
 25.50 a Brook 30 lbs. wide Cr. S 30 W
 40.00 Set temp^y. of Sec. post
 73.00 a Brook 6 lbs. wide Cr. S 80 E.
 78.75 Intersected the N. boundary 270 lbs. N. of cor.
 Sand timber &c. same as on the last mile

East On true line between Secs. 30 & 31, T9 N. R2 E.
 39.37 1/2 Set of Sec. post at average dist. from which
 a W. Oak 16 in. dia. beam N 24 W 47 lbs. dist. of
 a R. Oak 24 " " " S 43 1/2 E 55 " "
 78.75 to Sec. Corner.

North Between Secs. 29 & 30, T9 N. R2 E.
 12.60 a Hickory 11 in. dia. in the line
 40.00 Set the of Sec. post, from which
 a W. Oak 8 in. dia. beam S 69 E 27 lbs. dist. of
 a Beech 10 " " " N 23 W 23 " "
 58.00 a W. Oak 28 " "
 80.00 Set a post cor. to Secs. 19, 20, 29 & 30, from which
 a Beech 24 in. dia. beam S 42 E 15 lbs. dist. of
 a Do 13 " " " N 39 W 27 " "
 Sand very hilly & poor, timber W & E. Oak & hick.
 undergth W. Oak, Ironwood & Bassafray

West On Random between Secs. 19 & 30, T9 N. R2 E.
 19.50 a Brook 10 lbs. wide Cr. S 50 W.
 40.00 Set temp^y. of Sec. post
 58.50 a Brook 25 lbs. wide Cr. South

T9N R2E, 2^d. Mer. Indiana

79.00 Intersected the N. boundary 7 1/2 hrs. S. of Corner
Land hilly & poor, timber W. Oak, Hickory & beech,
underg^d. Dogwood & Ironwood

East On true line between Sec. 19 & 30, T9N. R2E.

39.50 Set the q. Sec. post at average dist. from which
a W. Oak 13 in. dia. tr. N 52 W 30 lbs. dist. of
a Do 10 " " " N 37 E 22 " "

79.00 to Sec. Corner

North Between Sec. 19 & 20, T9N. R2E. 2^d. Mer.

15.00 a Beech 12 in. dia. in the line

16.00 a Brook 10 lbs. wide C. S. 160 W

40.00 Set the q. Sec. post, from which
a Hickory 15 in. dia. tr. N 48 E 31 lbs. dist. of
a W. Oak 26 " " " N 59 W 39 " "

59.00 a Beech 11 " " in the line

80.00 Set a post cor. to Sec. 17, 18, 19 & 20, from which
a W. Oak 13 in. dia. tr. N 60 E 45 lbs. dist. of
a W. Oak 13 " " " N 82 W 23 " "

Land very hilly & poor, timber W & W. Oak &
Hickory, underg^d. Ironwood, W. Oak & Sassafras

West On Random between Sec. 18 & 19, T9N. R2E.

40.00 Set temp. q. Sec. post

50.30 a Brook 20 lbs. wide runng South

68.75 a Do 6 " " " N 60 E.

79.70 Intersected the N. boundary 9 1/2 hrs. S. of Corner
Land hilly & poor, timber W. Oak, Hickory, beech,
& Gum, underg^d. Dogwood & Ironwood

East On true line between Sec. 18 & 19, T9N. R2E.

39.85 Set the q. Sec. post at average dist. from which

T9N R2E. 2^d. Mer. Indiana

a W. Oak 12 mi. dist. bear S 33 W 38 lks. dist. of
 a Hickory 8 " " " N 67 W 39 " "
 79.70 to Sec. Corner. Feb. 29th 1820

North Between Secs. 17 & 18, T9N. R2E.
 26.00 a Beech 10 mi. dist. in the line
 40.00 Let the q. Sec. post, from which
 a Sugar 7 mi. dist. bear N 52 E 24 lks. dist. of
 a Do 12 " " " S 72 W 40 " "
 48.20 a Poplar 22 " " in the line
 65.70 a Brook 8 lks. wide C. S. S 70 W
 80.00 Let a post cor. to Secs. 7, 8, 17 & 18, from which
 a P. Oak 10 mi. dist. bear N 33 W 42 lks. dist. of
 a W. Oak 13 " " " S 2 E 29 " "
 Land very hilly, poor & stony, timber W. P. Oak,
 & Hickory, undergth W. Oak, Ironw. & Sassafras

West On Random between Secs. 7 & 18, T9N. R2E.
 7.00 a Brook 12 lks. wide C. S. S 60 W
 35.75 a Do 8 lks. " " South
 40.00 Let temp^y. q. Sec. post
 60.50 a Brook 10 lks. wide C. S. S 5 E.
 79.90 Intersected the W. boundary 72 lks. S. of Corner
 Land hilly, poor & stony, timber W. & Chestnut Oak
 & thick^y. undergth W. Oak, Ironwood & Logwood

East On true line between Secs. 7 & 18, T9N. R2E.
 39.95 Let q. Sec. post at average dist. from which
 a W. Oak 13 mi. dist. bear N 69 W 24 lks. dist. of
 a Beech 9 " " " S 87 E 57 " "
 79.70 to Sec. Corner.

North Between Secs. 7 & 8, T9N. R2E. 2^d. Mer.

T9 N R2 E, 2^d Mer. Indiana

- 5.50 a Brook 12 lks. wide Cr. S60 W
 40.00 Set the q. Sec. post, from which
 a W. Oak 15 in. dia. bran S31 W 76 lks. dist. of
 a Gum 9 " " " N1 W 71 " "
 51.20 a W. Oak 17 " " in the line
 80.00 Set a post Cor. to Sec. 5, 6, 7 & 8, from which
 a Gum 24 in. dia. bran South 38 lks. dist. of
 a Beech 14 " " " N27 W 10 " "
 Sand timber &c. same as on the last mile

- West On Random between Sec. 6 & 7, T9 N. R2 E.
 18.30 a Brook 6 lks. wide Cr. North.
 20.50 a Slo 6 " " " N20 E.
 40.00 Set temp. q. Sec. post
 80.00 Intersected the W. boundary 28 lks. N. of Corner
 Land hilly & poor, timber W & B. Oak & Hickory
 underg. W. Oak, Ironwood & Sassafras

- East On true line between Sec. 6 & 7, T9 N. R2 E.
 40.00 Set q. Sec. post at average dist. from which
 a Gum 16 in. dia. bran N38 E 30 lks. dist. of
 a Beech 12 " " " S5 W 15 " "
 80.00 to Sec. Corner

- North Between Sec. 5 & 6, T9 N. R2 E.
 11.60 a W. Oak 26 in. dia. in the line
 24.50 a Brook 10 lks. wide Cr. N8 E
 40.00 Set the q. Sec. post, from which
 a Sugar 6 in. dia. bran S75 E 24 lks. dist. of
 a W. Oak 25 " " " West 26 " "
 56.80 a Brook 20 lks. wide Cr. N5 W
 64.30 a W. Oak 8 in. dia. in the line
 66.86 Intersected the N. boundary 21 lks. E. of q. Sec.

T9 N. R 2 E. 2nd Mer. Indiana

post; set a post Cor. to Sec. 5 & 6, from which
 a Beech 14 in. dia. bran S 60° W 27 lbs. dist. of
 a do 5 " " " S 80° E 28 " "
 Land uneven & 2nd rate, timber W. Oak, Sugar &
 Beech, undergth Spruce & Ironwood.

March 1st 1820

North Between Sec. 32 & 33, T9 N. R 2 E.

11.85 a W. Oak 30 in. dia. in the line

32.80 a Brook 6 lbs. wide Cor. S 40° W

40.00 Set the q. Sec. post, from which

a Beech 11 in. dia. bran S 5° W 25 lbs. dist. of

a Hickory 5 " " " N 32° E 13 " "

54.18 a Beech 11 " " in the line

64.00 a Stream 130 lbs. wide Cor. S 70° W

80.00 Set a post Cor. to Sec. 28, 29, 32 & 33, from which

a Beech 14 in. dia. bran N 51° W 20 lbs. dist. of

a Gum 17 " " " N 73° E 40 " "

Land level & wet, timber W. Oak, Sugar & Beech
 undergrowth Spruce &c.

West Out Random between Sec. 29 & 32, T9 N. R 2 E.

27.00 a Brook 8 lbs. wide Cor. S 70° W

29.00 a do 10 lbs. " " S 5° E

40.00 Set temp^l q. Sec. post

80.00 Intersected the N & S. line 162 lbs. S. of the Cor.

Land hilly & poor, timber W. Oak & Hickory
 undergrowth W. Oak & Ironwood

East On true line between Sec. 29 & 32, T9 N. R 2 E.

40.00 Set q. Sec. post at average dist. from which

a Hickory 15 in. dia. bran N 21° W 26 lbs. dist. of

a Beech 8 " " " S 4° E 34 " "

T9 N R2 E, 2^d Mer. Indiana

80.00 to Sec. Corner

North Between Secs. 28 & 29, T9 N. R2 E.

18.65 a W. Oak 12 in. dia. in the line

40.00 Set the q. Sec. post, from which

a W. Oak 30 in. dia. bran S 27° 50' W. dist. of

a do 18 " " " N 17° 60' " "

54.00 a Brook 8 lks. wide E. 45° E.

64.90 a W. Oak 12 in. dia. in the line

80.00 Set a post Cor. to Secs. 20, 21, 28 & 29, from which

a W. Oak 28 in. dia. bran S 27° 45' W. dist. of

a W. Oak 18 " " " N 23° E 39 " "

Land poor & hilly & thickety, timber W. Oak & thick.
underg^d. Ironwood, Hologwood & Glassy

West On Random between Secs. 20 & 29, T9 N. R2 E.

20.00 a Brook 6 lks. wide S 10° E.

40.00 Set temp^y. q. Sec. post

80.00 Intersected the N & S. line 72 lks. N. of corner.

Land hilly & poor, timber W. Oak, Chest. Oak, thick.
& Beech, underg^d. W. Oak, Ironw. & Hologwood

East On true line between Secs. 20 & 29, T9 N. R2 E.

40.00 Set q. Sec. post at average dist. from which

a W. Oak 14 in. dia. bran S 80° E 10 lks. dist. of

a Chest. Oak 14 " " " N 60° W 40 " "

80.00 to Sec. Corner.

North Between Secs. 20 & 21, T9 N. R2 E

6.00 a Brook 8 lks. wide S 50° E

13.50 a W. Oak 15 in. dia. in the line

40.00 Set the q. Sec. post, from which

a W. Oak 10 in. dia. bran S 82° E 25 lks. dist. of

T9 N. R2 E. 2^d. Mer. Indiana

a Hickory 14 mi. dist. from S65 W 21 lbs. dist. of
 70.00 a W. Oak 13 " " in the line
 80.00 Set a post Cor. to Sec. 16, 17, 20 & 21, from which
 a W. Oak 17 mi. dist. from N31 W 46 lbs. dist. of
 a Do 14 " " " S2 W 26 " "
 Land very hilly, poor & stony, timber W & Choc. Oak
 & Hickory. underg. W. Oak, hickory, Ironwood & Sassafras

West On Rand. between Sec. 17 & 20, T9 N. R2 E.
 40.00 Set temp. q. Sec. post
 80.00 Intersected the N & S line 60 lbs. N. of the Corner
 Land timber &c. same as on the last mile

East On true line between Sec. 17 & 20, T9 N. R2 E.
 40.00 Set the q. Sec. post at average dist. from which
 a Hickory 11 mi. dist. from N50 W 27 lbs. dist. of
 a Do 12 " " " S12 E 10 " "
 80.00 to Sec. Corner. March 2^d. 1820.

North Between Sec. 16 & 17, T9 N. R2 E.
 15.75 a Lynn 26 mi. dist. from
 23.86 a Brook 10 lbs. wide S20 E.
 40.00 Set the q. Sec. post, from which
 a W. Oak 12 mi. dist. from S10 W 10 lbs. dist. of
 a Do 11 " " " N46 W 8 " "
 60.80 a R. Oak 30 " " in the line
 80.00 Set a post Cor. to Sec. 8, 9, 16 & 17, from which
 a W. Oak 11 mi. dist. from S9 E 28 lbs. dist. of
 a Sugar 10 " " " N26 W 12 " "
 Land hilly & poor, timber W & C. Oak & Hickory.
 underg. W. Oak, hickory, Dogwood, Ironwood & Sassafras

West On Random between Sec. 8 & 17, T9 N. R2 E.

T9N R2E, T^h. Mer. Indiana

40.00 Let tempf. q. Sec. post

80.00 Intersected the N & S. line 93 lbs. N. of Corner.
Land hilly & poor. Stoney, timber W. & Ch. Oak,
& Hickory, under " W. Oak, hick. & Ironwood

East On true line between Sec^s. 8 & 17, T9N. R2E

40.00 Let q. Sec. post at average dist. from which
a Mock 20 in. dia. bear N 30 E 32 lbs. dist. of
a Sugar 9 " " " S 11 W 13 " "

80.00 to Sec. Corner.

North Between Sec^s. 8 & 9, T9N. R2E.

21.42 a W. Oak 8 in. dia. on the line

40.00 Let the q. Sec. post, from which
a Dogwood 6 in. dia. bear S 62 E 4 lbs. dist. of
a W. Oak 12 " " " S 88 W 54 " "

51.83 a Chest. Oak 11 " " on the line

70.00 a Brook 12 lbs. wide S 35 W.

80.00 Let a post cor. to Sec^s. 8, 9, 4 & 5, from which
a Beech 8 in. dia. bear S 29 W 23 lbs. dist. of
a Ho 14 " " " North 14 " "
Land hilly & poor, timber W. & C. oak & Hickory
under " W. Oak, Ironw. & Sassafras

West On Random between Sec^s. 5 & 8, T9N. R2E.

4.20 a Brook 12 lbs. wide N 35 W.

40.00 Let tempf. q. Sec. post

59.80 a Brook 10 lbs. wide S 40 W

80.00 Intersected the N & S. line 24 lbs. N. of Corner
Land timber &c. same as on the last mile

East On true line between Sec^s. 5 & 8, T9N. R2E.

40.00 Let q. Sec. post at av. dist. from which

T9 N. R2 E. 2^d. Mer. Indiana

a W. Oak 8 in. dia. brang S56 E 94 lbs. dist. of
 a Do 13 " " " N29 W11 " "
 80.00 to Sec. Corner.

North Between Secs. 4 & 5, T9 N. R2 E.

19.20 a Sugar 12 in. dia. in the line
 40.00 A Sugar 6 in. dia. marked for
 the q^r. Sec. Corner, from which
 a Gum 9 in. dia. brang N17 W41 lbs. dist. of
 47.30 a Brook 15 lbs. wide Cr. West
 53.20 a W. Oak 18 " " in the line
 65.00 Intersected the N. boundary 21 lbs. E. of q^r. Sec.
 post at the South side of Sec. 33, T9 N. R2 E.
 Set a post Cor. Secs. 4 & 5, from which
 a Beech 6 in. dia. brang N26 E37 lbs. dist. of
 an Elm 14 " " " S29 W13 " "
 Land hilly & poor timber W. Oak, Chest. Oak &
 Hickory, underg^d. Hickory & Sassafras.

North Between Secs. 33 & 34, T9 N. R2 E.

20.90 a W. Oak 26 in. dia. in the line
 40.00 Set the q^r. Sec. post, from which. March 3^d 1820
 a Beech 14 in. dia. brang S28 E30 lbs. dist. of
 a W. Oak 10 " " " N56 W13 " "
 50.25 a W. Oak 9 " " in the line
 80.00 Set a post Cor. to Secs. 27, 28, 33 & 34, from which
 a W. Oak 18 in. dia. brang S48 E33 lbs. dist. of
 a Hickory 11 " " " N55 W9 " "
 Land hilly & poor, timber W & B. Oak, Hick. &
 Beech, underg^d. W. Oak, Dogwood & Ironwood

West On Random between Secs. 28 & 33, T9 N. R2 E.
 40.00 Set temp^y. q^r. Sec. post

Contd.

T9 N R2 E. 2^d Mer. Indiana

45.00 a Stream 130 lks. wide Cr. S 20 W

52.00 a Brook 12 lks. " " S 5 E.

80.00 Intersected the N & S. line 12 lks. N. of Corner
Land uneven & 2^d rate, timber W. Oak, Sugar,
Beech &c. underg.th Dogwood, Ironwood & Spice

East On true line between Sec. 28 & 33, T9 N. R2 E.

40.00 Let q. Sec. post at average dist. from which
a Beech 8 in. dia. bear S 89 W 13 lks. dist. of
a Do 14 " " " N 83 E 24 " "

80.00 to Sec. Corner.

North Between Sec. 27 & 28, T9. R2 E.

18.50 a W. Oak 20 in. dia. in the line

40.00 Let the q. Sec. post, from which
a W. Walnut 48 in. dia. bear S 80 W 16 lks. dist. of
an Elm 7 " " " N 59 E 47. "

41.00 a Stream 130 lks. wide Cr. S 50 W

76.00 a Brook 25 lks. " " S 10 E

80.00 Let a post Cor. to Sec. 21, 22, 27 & 28, from which
a Walnut 12 in. dia. bear S 66 E 12 lks. dist. of
an Elm 4 " " " N 45 W 47 " "

Land hilly & poor, timber W & B. Oak & Hickory
underg.th Dogwood, Ironwood & W. Oak

West On Random between Sec. 21 & 28, T9 N. R2 E.

4.50 a Brook 25 lks. wide Cr. S 15 E.

40.00 Let temp. q. Sec. post

78.00 a Brook 10 lks. wide Cr. S 10 E.

80.00 Intersected the N & S. line 150 lks. N. of the corner.
Land hilly & poor & thickety, timber W & B. Oak &
Hickory, underg.th Ironwood, Dogwood & Sassafras

T9 N. R2 E. 3rd Mer Indiana

East On true line between Secs. 21 & 28, T9 N. R2 E.
 40.00 At the q. Sec. post at average dist. from which
 a Hickory 11 m. dist. from N 37 E 16 lks. dist. of
 a Do 14 " " " S 40 W 40 " "
 80.00 to Sec. Corner.

North Between Secs. 21 & 22, T9 N. R2 E.
 17.00 a W. Oak 10 m. dist. in the line
 40.00 At the q. Sec. post, from which
 a P. Oak 26 m. dist. from N 40 E 35 lks. dist. of
 a W. Oak 28 " " " S 5 E 46 " "
 44.00 a Brook 10 lks. wide S 80 E
 73.25 a W. Oak 15 m. dist. in the line
 80.00 Set a post cor. to Secs. 15, 16, 21 & 22, from which
 a W. Oak 26 m. dist. from S 74 E 7 lks. dist. of
 a Do 12 " " " N 74 W 62 " "
 Sand hilly & poor timber W. Oak & Hickory
 under the Ironwood & Hickory

West On Random between 16 & 21, T9 N. R2 E
 7.50 a Brook 12 lks. wide C. S. S 5 W
 40.00 At temp. q. Sec. post
 59.00 a Brook 20 lks. wide runs South
 80.00 Intersected the N & S. line 135 lks. N. of Corner
 Sand timber &c. same as on the last mile

East On true line between Secs. 16 & 21, T9 N. R2 E.
 40.00 At q. Sec. post at average dist. from which
 a W. Oak 9 m. dist. from S 75 W 26 lks. dist. of
 a Hickory 20 " " " N 49 E 14 " "
 80.00 to Sec. Corner March 4th 1820

North Between Secs. 15 & 16, T9 N. R2 E.

T9 N. R2 E. 2^d Mer. Indiana

- 12.35 a Brook 12 lks. wide S30 W.
 16.20 a Hickory 15 in. dia. in the line
 40.00 Set the q. Sec. post, from which
 a W. Oak 9 in. dia. bran N5 W 46 lks. dist. of
 a Do 8 " " " S1 W 38 " "
 57.50 a Poplar 28 " " in the line
 80.00 Set a post Cor. to Sec. 9, 10, 15 & 16, from which
 a Chesnut Oak 13 in. dia. N30 W 50 lks. dist. of
 a Do 15 " " S48 E 29 " "
 Land hilly & poor, timber W. D. O. Oak & Hickory
 underg^d W. Oak & Ironwood.

- West On Random between Sec. 9 & 16, T9 N. R2 E.
 18.00 a Brook 10 lks. wide run South
 40.00 Set temp. q. Sec. post
 59.00 a Brook 10 lks. wide S10 W.
 80.00 Intersected the West boundary 24 lks. S. of Corner
 Land timber &c. same as on the last mile

- East On true line between Sec. 9 & 16, T9 N. R2 E.
 40.00 Set q. Sec. post at average dist. from which
 a Elm 18 in. dia. bran N10 E 47 lks. dist. of
 a Poplar 8 " " " S15 E 48 " "
 80.00 to Sec. Corner

- North Between Sec. 9 & 10, T9 N. R2 E.
 21.62 a Sugar 12 in. dia. bran in the line
 40.00 Set the q. Sec. post, from which
 a Beech 28 in. dia. bran S41 E 51 lks. dist. of
 a Sugar 11 " " " S4 E 53 " "
 53.60 a Hickory 18 " " in the line
 80.00 Set a post Cor. to Sec. 3, 4, 9 & 10, from which
 a Hickory 16 in. dia. bran N29 W 25 lks. dist. of

T9 N R2 E, 2^d Mer. Indiana

a Gum 18 in. dia. bear S20 W 11 lbs. dist. of
 Sand hilly & poor, timber W. B. Oak and
 Hickory, undergth Ironwood &c

West On Random between Sec. 4 & 9, T9 N. R2 E.

40.00 Set temp^y of. Sec. post

80.00 Intersected the N & S. line 54 lbs. N. of Corner
 Sand timber &c. Same as on the last mile

East On true line between Sec. 4 & 9, T9 N. R2 E.

40.00 Set the of. Sec. post average dist. from which
 a Gum 12 in. dia. bear N44 E 28 lbs. dist. of
 a Sugar 11 " " " N87 W 38 " "

80.00 to Sec. Cor.

North Between Sec. 3 & 4, T9 N. R2 E. 2^d Mer.

16.00 a B. Oak 30 in. dia. in the line

40.00 Set the of. Sec. post, from which
 a W. Oak 15 in. dia. bear N20 W 79 lbs. dist. of

52.80 a Brook 6 lbs wide N50 E

53.40 a W. Oak 26 in. dia. in the line

65.00 Intersected the N. boundary 37 lbs. E. of of.

Sec. Corner at the South Side of Sec. 34,

Set a post Cor. to Sec. 3 & 4, from which

a Beech 10 in. dia. bear S72 E 21 lbs. dist. of

a Sugar 10 " " " N29 W 19 " "

Sand hilly & poor, timber W. B. Oak, Hickory
 & Beech, undergth Ironwood & Sassafras

North Between Sec. 34 & 35, T9 N. R2 E. March 6th 1820

19.20 a Chestnut Oak 20 in. dia. in the line

40.00 Set the of. Sec. post, from which

a W. Oak 11 in. dia. bear S48 E 11 lbs. dist.

T9. N. R2 E. 2^d. Mer. Indiana

a W. Oak 14 in. diam. bran N48 W 3 lks. dist.
 60.15 a W. Oak 12 " " in the line
 80.00 Set a post Cor. to Secs. 26, 27, 34 & 35, from which
 a Chestnut Oak 16 in. diam. bran N49 W 27 lks. dist. of
 a Gum 13 " " " S37 E 29 " "
 Land hilly & poor, timber W. Oak, & Gum,
 underg^d W. Oak & Hickory & Ironwood

West On Random between Secs. 27 & 34, T9. N. R2 E.
 40.00 Set temp^y. of Sec. post
 80.00 Intersected the N & S. line 60 lks. S. of Corner.
 Land, timber &c. same as on the last mile

East On true line between Secs. 27 & 34, T9. N. R2 E.
 40.00 Set of Sec. post at average dist. from which
 a Beech 7 in. diam. bran N21 E 23 lks. dist. of
 a Do 11 " " " S25 W 11 " "
 80.00 to Sec. Corner.

North Between Secs. 26 & 27, T9. N. R2 E.
 14.05 a W. Oak 20 in. diam. in the line
 19.07 a Brook 8 lks. wide N60 W
 40.00 At the of Sec. post, from which
 a W. Oak 16 in. diam. bran — 14 lks. dist. of
 a Do 18 " " " N45 E 10 " "
 55.64 a Gum 11 in. diam. in the line
 72.00 a Stream 130 lks. wide Cr. S85 W
 78.50 a Brook 25 lks. " " S50 W
 80.00 Set a post Cor to Secs. 22, 23, 26 & 27, from which
 an Ash 15 in. diam. bran S30 W 20 lks. dist. of
 a Beech 12 " " " N34 E 25 " "
 Land timber &c. same as on the last mile

T9 N - R2 E, 2^d Mer. Indiana

West On Random between Sec. 22 & 27, T9 N. R2 E.
 40.00 Set the q. Sec. post temporarily
 79.50 a Brook 8 lks. wide runs South
 80.00 Intersected the N & S. line - lks. - of the cor.
 Land hilly & poor & stony, timber W. Oak
 & Hickory, undergth W. Oak & Ironwood

East On true line between Sec. 22 & 27, T9 N. R2 E.
 40.00 Set q. Sec. post at average dist. from which
 a Beech 8 in. dia. bran S 81 E 27 lks. dist. &
 a Do 11 " " " S 76 W 17 " "
 80.00 to Sec. Corner. March 7th 1820

North Between Sec. 22 & 23, T9 N. R2 E.
 23.40 a W. Oak 15 in. dia. in the line
 40.00 Set the q. Sec. post, from which
 a Hickory - in. dia. bran S 78 W 10 lks. dist. &
 an Ironwood 4 " " " S 76 E 19 " "
 53.00 a Brook 8 lks. wide S 50 E
 64.18 a W. Oak 14 in dia. in the line
 80.00 Set a post Cor. to Sec. 14, 15, 22 & 23, from which
 a W. Oak 15 in. dia. bran S 72 E 16 lks. dist. &
 a Poplar 7 " " " S 82 W 31 " "
 Land hilly & poor, timber W. Oak & Hickory
 undergth Ironwood & Dogwood

West On Random between Sec. 15 & 22, T9 N. R2 E.
 20.00 a Brook 8 lks. wide S 15 E
 40.00 Set temp. q. Sec. post
 80.00 Intersected the N & S. line 52 lks. S. of Corner.
 Land timber &c. same as on the last mile

East On true line between Sec. 15 & 22, T9 N. R2 E.

T⁹ N. R2 E. 2^d Mer. Indiana

40.00 At q. Sec. post at average dist. from which
 a Hickory 15 in. diam. bran S32E 37 lks. dist. of
 a W. Oak 13 " " " N32W 10 " "
 80.00 to Sec. Corner.

North Between Secs. 14 & 15, T⁹ N. R2 E.

30.90 a W. Oak 26 in. diam. in the line

40.00 At the q. Sec. post, from which
 a W. Oak 12 in. diam. bran S27E 15 lks. dist. of
 a W. Oak 9 " " " N10W 25 " "

49.50 a Hickory 14 " " in the line

57.20 a Brook 15 lks. wide S30E.

80.00 At a post Cor. to Secs. 10, 11, 14 & 15, from which
 a W. Oak 12 in. diam. bran S40E 14 lks. dist. of
 a Do 12 " " " N21W 32 " "
 Land hilly & poor, timber W. Oak, Hickory
 underg^d. Ironwood & Logwood.

West On Random between Secs. 10 & 15, T⁹ N. R2 E.

21.50 a Brook 12 lks. wide S30E.

40.00 At temp^d. q. Sec. post

80.00 Intersected the N & S. line 124 lks. S. of Corner.

Land hilly & poor, timber W. Oak, Ches. Oak, &
 Hickory, underg^d. W. Oak, Hickory & Ironwood

East On true line between Secs. 10 & 15, T⁹ N. R2 E.

40.00 At q. Sec. post at average dist. from which
 a R. Oak 36 in. diam. bran N5W 19 lks. dist. of
 a Gum 10 " " " S60E 36 " "

80.00 to Sec. Corner. March 8th 1820

North Between Secs. 10 & 11, T⁹ N. R2 E.

25.25 a W. Oak 24 in. diam. in the line

T9 N. R2 E. 2^d Mer. Indiana

- 40.00 Let the q. Sec. post, from which
 a W. Oak 9 in. dia. bran S 71° 3' W 3 lks. dist. of
 a Do 12 " " " N 29° E 33 " "
- 52.20 a W. Oak 12 " " in the line
- 65.00 a Brook 10 lks. wide S 20° E
- 70.00 Same 10 " " S 35° W
- 75.50 Same 10 " " S 25° E.
- 80.00 Let a post Cor. to Sec. 2, 3, 10 & 11, from which
 a W. Oak 6 in. dia. bran — 1 W 31 lks. dist. of
 a Do 16 " " " N 26° W 29 " "
- Land hilly & poor, timber W. & B. Oak & Hickory.
 underg^d. Ironwood, Hickory & Bassafay

West On Random between Sec. 3 & 10

- 4.70 a Brook 10 lks. wide S 30° E.
- 40.00 Let temp^y. q. Sec. post
- 80.00 Intersected the N & S. line 47 lks. S. of Corner.
 Land, timber &c. Same as on the last mile

East On the true line between Sec. 3 & 10

- 40.00 Let the q. Sec. post at a? dist. from which
 a Gum 12 in. dia. bran S 81° W 35 lks. dist. of
 a B. Oak 36 " " " N 87° E 35 " "
- 80.00 to Sec. Corner.

North between Sec. 2 & 3, T9 N. R2 E. 2^d Mer.

- 10.85 a W. Oak 18 in. dia. in the line
- 35.00 a Brook 6 lks. wide S 50° W
- 40.00 Let the q. Sec. post, from which
 a W. Oak 10 in. dia. bran N 73° E 35 lks. dist. of
 a Do 9 " " " S 89° W 21 " "
- 59.40 a W. Oak 14 " " in the line
- 67.50 Intersected the N. boundary 23 lks. E. of q.

T9 N. R2 E. 2^d. Mer. Indiana

Sec. post at the S. side of Sec. 35, T9 N. R2 E
 Set a post Cor. to Sec. 2 of 3, from which
 a Beech 15 in. dia. bray N47^W 32 lks. dist. &
 a C. Oak 24 " " " S88 E 32 " "
 Sand hilly & poor timber W. Oak & Hickory
 undergth W. Oak, Hickory & Ironwood.

North Between Sec. 35 & 36, T9 N. R2 E
 18.20 a W. Oak 20 in. dia. in the line. March 9th 1820
 40.00 Set the q. Sec. post, from which
 a C. Oak 14 in. dia. bray N10 E 18 lks. dist. &
 a do 16 " " " N1 E 38 " "
 80.00 Set a post Cor. to Sec. 25, 26, 35 & 36, from which
 a W. Oak 14 in. dia. bray N56 E 28 lks. dist. &
 a Gum 6 " " " S52^W 19 " "
 Land timber &c. Same as on the last mile

West On Random between Sec. 26 & 35, T9 N. R2 E.
 40.00 Set temp^y. q. Sec. post
 80.00 Intersected the N. & S. line 92 lks. S. of Corner.
 Land timber &c. Same as on the last mile

East On true line between Sec. 26 & 35, T9 N. R2 E.
 40.00 Set the q. Sec. post at av^g. dist. from which
 a W. Oak 16 in. dia. bray N29^W 48 lks. dist. &
 a C. Oak 12 " " " S35 E 71 " "
 80.00 to Sec. Corner.

East Between Sec. 25 & 36, T9 N. R2 E.
 21.00 a W. Oak 14 in. dia. in the line
 24.00 a Brook 15 lks. wide N10^W.
 33.10 Intersected the E. boundary 42 lks. N. of
 Corner. Set a post Cor. to Sec. 25 & 36, from which

T9 N - R2 E 2nd Mer. Indiana.

a W. Oak 15 in. diam. beam S22 W 20 lks. dist. of
 a No 15 " " " N8 E 28 " "
 Land hilly & poor, timber W & C. Oak & Hickory
 undergrowth Ironwood & Dogwood

North Between Secs. 25 & 26, T9 N. R2 E.

13.30 a W. Oak 20 in. diam. in the line

28.00 a Brook 20 lks. wide N5 W.

40.00 At the q. Sec. post, from which

a Hickory 15 in. diam. beam S31 E 52 lks. dist. of

a C. Oak 30 " " " N20 W 10 " "

50.00 a Brook 25 lks. wide S60 W

54.00 a W. Oak 26 in. diam. in the line

80.00 At a post cor. to Secs. 23, 24, 25, & 26, from which

a Sugar 9 in. diam. beam S46 E 20 lks. dist. of

a Beech 5 " " " N70 W 11 " "

Land timber &c. same as on the last mile

West On Random between Secs. 23 & 26, T9 N. R2 E.

34.50 a Stream 130 lks. wide S20 W

40.00 At temp. q. Sec. post

78.00 a Brook 30 lks. wide S20 W.

79.62 Intersected the N & S. line at the Sec. Corner.

Land hilly & poor timber W & C. Oak, Hickory &
 Beech, underg. Ironwood & Dogwood

East On true line between Secs. 23 & 26, T9 N. R2 E.

39.81 At q. Sec. post at average dist. from which

a Beech 10 in. diam. beam N45 W 25 lks. dist. of

a No 7 " " " S38 E 12 " "

79.62 to Sec. Corner.

East Between Secs. 24 & 25, T9 N. R2 E

T9 N R2 E, 2^d Mer. Indiana

- 20.00 a W. Oak 26 in. dia. in the line
 34.00 Intersected the E. boundary 46. lks. N. of Corner
 Set a post cor. to Secs. 24 & 25, from which
 a Beech 10 in. dia. bears N 85 W 54 lks. dist. of
 a W. Oak 16 " " " N 89 E 27 " "
 Land timber &c. same as on the last mile
-

March 10th 1820

North Between Secs. 23 & 24, T9 N. R2 E.

- 17.60 a Beech 10 in. dia. in the line
 21.50 a stream 130 lks. wide runs West
 40.00 Set the q. Sec. post, from which
 a Beech 5 in. dia. bears S 55 W 14 lks. dist. of
 a Sugar 9 " " " N 49 E 2 " "
 51.70 a Beech 10 " " in the line
 75.00 a Brook 8 lks. wide S 40 E.
 80.00 Set a post cor. to Secs. 13, 14, 23 & 24, from which
 a W. Oak 10 in. dia. bears N 58 E. 61 lks. dist. of
 a Do 10 " " " S 36 W 14 " "
 Land timber &c. same as on the last mile
-

West On Random between 14 & 23, T9 N. R2 E.

- 2.00 a Brook 8 lks. wide S 20 E
 40.00 Set temp. q. Sec. post
 66.50 a Brook 30 lks. wide runs South
 79.70 Intersected the N & S. line 56 lks. N. of Corner
 Land hilly & poor, timber W. Oak, hickory & Gum
 undug. Hornwood, Hickory & Dogwood
-

East On true line between Secs. 14 & 23, T9 N. R2 E.

- 39.85 Set q. Sec. post at average dist. from which
 a W. Oak 10 in. dia. bears S 70 W 47 lks. dist. of
 a Do 24 " " " N 73 E 41 " "

T9 N. R2 E. 2^d Mer. Indiana

79.70 to Sec. Corner.

East Between Secs. 13 & 24, T9 N. R2 E.
 12.33 a Hickory 13 in. diam. in the line
 31.50 a Brook 12 lks. wide runs South
 34.80 Intersected the E. boundary at the corner
 Land hilly & poor, timber W. Oak & Hickory
 under " Hickory, W. Oak & Hornwood.

North Between Secs. 13 & 14, T9 N. R2 E.
 20.56 a W. Oak 13 in. diam. in the line
 40.00 Set the q^r. Sec. post, from which
 a Sugar 9 in. diam. bears S37 E 41 lks. dist. of
 a W. Oak 12 " " " N13 W 39 " "
 52.80 a W. Oak 12 " " in the line
 80.00 Set a post Cor. to Secs. 11, 12, 13 & 14, from which
 a Hickory 6 in. diam. bears N5 E 8 lks. dist. of
 a Do 4 " " " S20 W 13 " "
 Land timber &c. same as on the last mile

West On Random between Secs. 11 & 14, T9 N. R2 E.
 40.00 Set temp^y. q^r. Sec. post
 42.50 a Brook 6 lks. wide S60 W
 65.00 a Do 25 lks. " runs South
 79.68 Intersected the N & S. line 44 lks. N. of the corner.
 Land, timber &c. same as on the last mile.

East On true line between Secs. 11 & 14, T9 N. R2 E.
 39.84 Set q^r. Sec. post at average dist. from which
 a W. Oak 10 in. diam. bears S72 E 42 lks. dist. of
 a Do 10 " " " N71 W 37 " "
 79.68 to Sec. Corner

T9 N - R2 E. 2^d. Mer. Indiana

East Between Secs. 12 & 13, T9 N. R2 E.

24.50 a Hickory 16 in. diam. in the line

37.00 Intersected ^{the E. boundary} 150 lks. South of the Corner. Set a post Cor. to Secs. 12 & 13, from which

a Beech 8 in. diam. bears N38 E 29 lks. dist. &

a B. Oak 7 " " " N6 E 12 " "

Land hilly & poor, timber W. Oak & Hickory
underg^d. W. Oak, Hickory & IronwoodMarch 11th. 1820

North Between Secs. 11 & 12, T9 N. R2 E.

22.95 a Chestnut Oak 10 in. diam. in the line

40.00 At the q. Sec. post, from which

a Chest. Oak 9 in. diam. bears N42 W 28 lks. dist. &

a Do 9 " " " N65 E 13 " "

50.95 a Chest. Oak 20 " " in the line

80.00 Set a post Cor. to Secs. 1, 2, 11 & 12, from which

a W. Oak 15 in. diam. bears N74 W 23 lks. dist. &

a Beech 6 " " " N34 E 20 " "

Land timber &c. same as on the last mile

West On Random between Secs. 2 & 11, T9 N. R2 E

11.70 a Brook 8 lks. wide S70 W

27.50 a Do 10 lks. " S10 W

40.00 At temp. q. Sec. post

79.90 Intersected the N & S. line 62 lks. S. of Corner.

Land hilly & poor, timber W. Oak & Hickory
underg^d. W. Oak, Hickory & Ironwood

East On true line between Secs. 2 & 11, T9 N. R2 E.

39.95 Set q. Sec. post at average dist. from which

a W. Oak 16 in. diam. bears N58 E 55 lks. dist. &

a Do 26 " " " S62 W 32 " "

T9N. R2E. 2E. Mer. Indiana

79.90 to Sec. Corner.

East between Sec. 1 & 12, T9N. R2E.
 13.30 a P. Oak 26 in. dia. in the line
 38.60 Intersected the E. boundary 210 lks. S. of Cor.
 Set a post Cor. to Sec. 1 & 12, from which
 a Sugar 13 in. dia. bears S12W 48 lks. dist. of
 a Hickory 12 " " " N28E 10 " "
 Land hilly and poor, timber W & C. Oak, and
 underg. same with Hickory.

North Between Sec. 1 & 2, T9N. R2E.
 3.00 a Brook 6 lks. wide S20W
 18.30 a W. Oak 14 in. dia. in the line
 40.00 Set the q. Sec. post from which
 a W. Oak 26 in. dia. bears N69W 36 lks. dist. of
 a P. Oak 30 " " " South 50 " "
 47.85 a W. Oak 26 " " in the line
 70.00 Intersected the N. boundary 66 lks. East of q.
 Sec. post at the South Side of Sec 36, T10N,
 R2E, Set a post Cor. to Sec. 1 & 2, from which
 a Sugar 9 in. dia. bears S12W 29 lks. dist. of
 a Beech 10 " " " N41W 10 " "
 Land hilly & poor, timber W & C. Oak & Gum
 undergrowth W. Oak and Ironwood.
 Surveyed by James Hedger, Dep. Surveyor

Compd

Certify that the foregoing transcript of field notes of
Township N. 9 North, Range N. 2 E. T. Mor. Indiana
has been Comp. with the original notes in this Office and
found to be Correct.

Surveyor General's Office
Cincinnati, March 4. 1845

E. P. Cairnes
Sur. Genl.